

Cdc25C (phospho Ser216) rabbit pAb

Cat No.:ES1284

For research use only

Overview

Product Name	Cdc25C (phospho Ser216) rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/10000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human CDC25C around the
	phosphorylation site of Ser216. AA range:183-232
Specificity	Phospho-Cdc25C (S216) Polyclonal Antibody detects
	endogenous levels of Cdc25C protein only when
	phosphorylated at S216.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20 $^\circ\!\mathrm{C}$. Avoid repeated freeze-thaw cycles.
Protein Name	M-phase inducer phosphatase 3
Gene Name	CDC25C
Cellular localization	Nucleus .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	53kD
Human Gene ID	995
Human Swiss-Prot Number	P30307
Alternative Names	CDC25C; M-phase inducer phosphatase 3; Dual
	specificity phosphatase Cdc25C
Background	cell division cycle 25C(CDC25C) Homo sapiens
	This gene encodes a conserved protein that plays a
	key role in the regulation of cell division. The
	encoded protein directs dephosphorylation of cyclin



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



B-bound CDC2 and triggers entry into mitosis. It also suppresses p53-induced growth arrest. Multiple alternatively spliced transcript variants of this gene have been described. [provided by RefSeq, Dec 2015],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C