

Recombinant SARS-CoV-2 S2 Protein

(C-Fc)

Catalog # EPT188

Expression Host Human Cells

DESCRIPTION Recombinant SARS-CoV-2 S2 Protein is produced by

our Mammalian expression system and the target

gene encoding Ser686-Gln1208 is expressed with a Fc

tag at the C-terminus.

Accession QHD43416.1

Synonyms S2 protein; Spike glycoprotein Subunit2; S

glycoprotein Subunit2; Spike protein S2; COVID-19

Mol Mass 84.1kDa

AP Mol Mass 100-130kDa, reducing conditions

Purity Greater than 95% as determined by reducing

SDS-PAGE.

Endotoxin

FORMULATION Supplied as a 0.2 μ m filtered solution of PBS,

5%Trehalose, 10 % glycerol, pH 7.4.

RECONSTITUTION



www.elkbiotech.com



SHIPPING

STORAGE

BACKGROUND

The product is shipped on dry ice pack. Upon receipt, store it immediately at the temperature listed below.


Reconstituted protein solution should be stored at ≤ -20°C.

The spike (S) glycoprotein of coronaviruses is known to be essential in the binding of the virus to the host cell at the advent of the infection process. Most notable is severe acute respiratory syndrome (SARS). The severe acute respiratory syndrome-coronavirus (SARS-CoV) spike (S) glycoprotein alone can mediate the membrane fusion required for virus entry and cell fusion. It is also a major immunogen and a target for entry inhibitors. It's been reported that 2019-nCoV can infect the human respiratory epithelial cells through interaction with the human ACE2 receptor. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as





protective immunity.



SDS-PAGE



+86-27-59760950